


The Bruna Parede is reminiscent of the wall fans of the early 20th century. The fan head of the Bruna Parede wall mounted fan can be infinitely positioned vertically and horizontally across 180-degree arcs to provide maximum directional airflow. It can be mounted in small, awkward spaces or in front of HVAC ducts to make more efficient the heating, ventilation or air conditioning of any space. Constructed of cast aluminum, heavy spun and stamped steel, the Bruna Parede carries a limited lifetime warranty.






BRUNA PAREDE

FINISH AND BLADE OPTIONS

	AND BEADE OF HONS	
SKU#	BP-XXXXXX (Model+Finish)	
Standard Finishes	Black Bronzette Brushed Nickel	BK BZZT BN
Special Order	Brushed Brass Brushed Copper Polished Brass Polished Chrome Polished Copper Polished Chrome Damp Brushed Nickel Damp Gloss White Agua Marinha Ametista Black Nickel Esmeralda Ouro Rubi Safira	BRBR BRCP PB CR CP CRDAMP BNDAMP WH LTBLUE LTPURPLE BKN GREEN GOLD RED BLUE
TECHNICAL SPECS		
Fan Weight	8 lbs	
Blade Material	Metal	
Voltage	110 or 220	
Motor Type	AC	
Oscillation	No	
Fan Diameter	13 inches / 33 cm	
Fan Height	21 inches / 51 cm	
Fan Projection	16 inches / 41 cm	
Recommended Mounting Height	Approximately 24 inches 61 cm from ceiling	; /
Fan Guard	Safety Cage	
Environment	Damp location with pow coat only. Neither coast nor chlorine compatible.	al, saltwater
Ambience	Soothing White Noise	
Safety Certification	UL / CUL	
Warranty	Limited Lifetime	
NEW JAN 21, 2020 DOE MOTOR EFFICIENCY DATA		
RPM (Low / High)	1021 / 1418	
CFM (Low / High)	839 / 1181	
Watts (High)	49.00	
CFM/Watt (High) Blade Pitch	24.01 31°	
Safety cage		
	wall junction box	0
Decora-style, 3-speed wall control in white		



Bruna Parede



Matthews Fan Company 1881 Industrial Drive Libertyville, IL 60048 Tele: 847.680.9043 Fax: 847.680.8140 www.matthewsfanco.com © 2023 Matthews Fan Company. All rights reserved.

